V3006m/8

★ 6.5 inch ★ 100 Watts

※ 93 dB **※** 125 ~ 9000 Hz





KEY FEATURES:

- ① 200 W continuous program power capacity
- 2 High sensitivity 93dB/1w/1m
- $\ensuremath{\mbox{\ensuremath{\mbox{\scriptsize 0}}}} \ensuremath{\mbox{\mbox{\scriptsize 0}}} \ensuremath{\mbox{\scriptsize 0}} \ensuremath{\mb$
- 4 1.5" flat copper voice coil

- ⑤ Copper shorting ring ensures extreme linear impedance and reduced distortion figure
- ⑥ Ideal for the use in line array systems and midrange application


GENERAL SPECIFICATIONS Nominal Diameter 170mm /6.5inch Rated Impedance 8 ohm Nominal Power handling 100 Watts Program Power² 200 Watts Sensitivity(1w/1m)3 93 dB 125 ~ 9000Hz Frequency Range⁴ Minimum Impedan ce(Zmin) 6.4 ohm Voice Coil Diameter 38mm /1.5inch Voice Coil Material Edgewound copper **Fiber glass** Former Material Voice Coil Winding Depth 8 mm Number of layers Magnet gap depth 6 mm **Basket** Cast Aluminum Flux Density 1.1T Magnet Outer Diameter / Wgt 120mm / 30 oz


THIELE - SMALL PARAMETERS ⁵	
Fs	131 Hz
Re	5.4 ohm
Qms	5.2
Qes	0.75
Qts	0.65
Cms	0.13 mm/N
Rms	1.78 mech-ohm
Mms	11.3 g
Eff	1.0%
BL	8.2 T.m
Vas	3.5 liters
Sd	$0.0139\ m^2$
Xmax	2.5 mm
Le1K	0.16 mH
EBP	195
	Fs Re Qms Qes Qts Cms Rms Mms Eff BL Vas Sd Xmax Le1K

MOUNTING INFORMATION		
Overall Diameter	162 mm	
Bolt Circle Diameter	172 mm	
Bolt Hole Diameter	5 mm	
Baffle Cutout Diameter	147 mm	
Overall Depth	78 mm	
Net Weight	2.1 kg	
Shipping Weight	2.3 kg	
Shipping Box	172x172x9 5mm	

Also available in 16ohm, data upon request.







NOTES:

- 1. AES standard
- 2. Program Power is defined as 3 dB greater than the nominal power handling.
- 3. Sensitivity is measured at 1W input on rated impedance at 1m on axis.
- Frequency range is defined as the band of frequencies delineated by the lower and upper limits where the output level drops by 10dB below the rated sensitivity.
- 5. T/S parameters measured with laser system without preconditioning test at 23 Celsius degree environment.
- 6. The maximum linear excursion is calculated as: (Hvc-Hg)/2+Hg/4 where Hvc is the voice coil depth and Hg is the gap depth.